


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5358	(search\$3 or quer\$3) with url	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:21
L2	453	(search\$3 or quer\$3) with uri	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:21
L3	5696	1 or 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:21
L4	733	3 and (construct\$3 with (search\$3 or quer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:21
L5	4	4 and (match\$3 with binary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:22
L6	30	4 and ((match\$3 or search\$3 or map\$4) with binary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:22
L7	9	6 and @ad<"20010703"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:30
L8	2329	((search\$3 or quer\$3) with url) and @ad<"20010703"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:30

L9	231	(register with url) and @ad<"20010703"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:33
L10	60	8 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:32
L11	10	10 and hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:32
L12	381	((bit\$2 or hash\$3) with url) and @ad<"20010703"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:34
L13	119	8 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:40
L14	8	13 and (search\$3 with binary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:52
L15	10	10 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:41
L16	12	10 and (707/3).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:42

L17	14	10 and (707/3-8).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 11:37
L18	305	4 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:45
L19	2	18 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:51
L20	215	8 and (url with pars\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:52
L21	1	20 and (search\$3 with binary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:52
L22	46	20 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:52
L23	1	22 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:52
L24	1	20 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:53

L25	8	20 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:53
L26	46	20 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:54
L27	2	26 and (pattern with (match\$3 or search\$3 or quer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:54
L28	1	10 and (707/101).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 11:37
L29	7	10 and (709/203).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 11:37

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#) [Advanced Search](#) [Preferences](#)**Web Results 1 - 10 of about 24 for uri delimiters constructing search "lookup table" "matching pattern". (I** [https://www.redhat.com/docs/manuals/stronghold/Str...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Supplemental Result - [Similar pages](#) [docs-pdf.sun.com/817-6267/817-6267.pdf](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Supplemental Result - [Similar pages](#) [docs.cirkva.net/Sun/jes/messaging_server_6.0/816-6...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Supplemental Result - [Similar pages](#)[netlib3.cs.utk.edu/bibnet/subjects/cacm1970.html](#)2553k - Supplemental Result - [Cached](#) - [Similar pages](#)[netlib3.cs.utk.edu/bibnet/subjects/cacm1970.bib](#)2021k - Supplemental Result - [Cached](#) - [Similar pages](#)[www.panoptic.com/aolserver/tracker_103152.xml](#)File Format: Unrecognized - [View as HTML](#)Supplemental Result - [Similar pages](#)[sunsite.mff.cuni.cz/MIRRORS/ftp.debian.org/debian/...](#)File Format: Unrecognized - [View as HTML](#)Supplemental Result - [Similar pages](#)[anoncvs.gnome.gr.jp/viewcvs.cgi/evolution/camel/Ch...](#)2884k - Supplemental Result - [Cached](#) - [Similar pages](#)[www.iste.uni-stuttgart.de/ps/bernd/bibliography/bi...](#)1741k - Supplemental Result - [Cached](#) - [Similar pages](#)[ftp.cae.tntech.edu/pub/xemacs/old-beta/xemacs-21.2...](#)1399k - Supplemental Result - [Cached](#) - [Similar pages](#)Try your search again on [Google Book Search](#)Result Page: [1](#) [2](#) [3](#) [Next](#)Free! Instantly find your email, files, media and web history. [Download now.](#)

[Sign in](#)
[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)
[uri delimiters constructing search binary "look](#) [Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 446 for uri delimiters constructing search binary "lookup table" . (0.34 second)

LOOKUP MAPS (hash, SQL) AND ACCESS LISTS EXPLAINED ...

A field value **undef** implies that the next **lookup table** (if there are more) is to be tried. ... The domain part is always lowercased when **constructing** a key, ...

[www.ij.si/software/amavisd/README.lookups.txt](#) - 30k - [Cached](#) - [Similar pages](#)

LOOKUP MAPS (hash, SQL) AND ACCESS LISTS EXPLAINED ...

... Also, if qr is used with a **delimiter** other than ... The domain part is always lowercased when **constructing** a key ... You can also specify a **URI**, such as: 'ldaps://127.0 ...

[www.ij.si:90/software/amavisd/README.lookups.txt](#) - 37k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

LOOKUP MAPS (hash, SQL) AND ACCESS LISTS EXPLAINED ...

the **search** sequence stops as soon as a match is found, AND the value of the matched entry ... the domain part is always lowercased when **constructing** a key, ...

[www.math.temple.edu/usr/share/doc/packages/amavisd-new/README_FILES/README.lookups](#) - 36k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

C++ Flat Index in Index

CAttributeLookupTable - Class - Provides an attribute **lookup table**, ...

CContactStoreField - Class - Stores, sets and retrieves **binary** field data which is ...

[www.symbian.com/developer/techlib/v70sdocs/_index/cc_flat.html](#) - 513k - [Cached](#) - [Similar pages](#)

C++ Flat Index in Index

CAttributeLookupTable - Class - Provides an attribute **lookup table**, ...

CContactStoreField - Class - Provides access to the **binary** field data stored in an ...

[www.symbian.com/developer/techlib/v8.1adocs/_index/cc_flat.html](#) - 513k - [Cached](#) - [Similar pages](#)

[More results from [www.symbian.com](#)]

cpan.mirror.intermedia.com.sg/modules/03modlist.da...

348k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

ftp.cpan.jp/modules/03modlist.data.gz

350k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

mirrors.dotsrc.org/cpan/modules/03modlist.data.gz

350k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

mirror.sg.depaul.edu/pub/CPAN/modules/03modlist.da...

334k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

000 说明分号前面是港台习惯 ... - [[Translate this page](#)]

... 概念/构造 (for language) **constructing** ;构造constructor ... 删除delimit ;定界delimiter

;定界符delinquent ... upstream ;上游URI (Uniform Resource ...

[mozilla.org.cn/bbs/upload/0.txt](#) - 84k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

url delimiters constructing search binary "lookup table"

Nothing Found

Your search for **url delimiters constructing search binary "lookup table"** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

Useful downloads: [!\[\]\(34b4f260a8587d2e97eeaee361cc357b_img.jpg\) Adobe Acrobat](#) [!\[\]\(b5f3742814ad7ea0f0989480e393a386_img.jpg\) QuickTime](#) [!\[\]\(7a21b292b296aee11cc1473808e99c9f_img.jpg\) Windows Media Player](#) [!\[\]\(7e14619d3af7f52656a3613664aa4960_img.jpg\) Real Player](#)